ANBCA2

ANALYTICAL BIOCHEMISTRY

An International Journal of Analytical and Preparative Methods

EDITORIAL COMMITTEE

N. O. KAPLAN, *Co-Chairman* W. D. McELROY, *Co-Chairman*

EXECUTIVE EDITORS

J. N. ABELSON
S. L. BERGER
L. BRAND
P. BRODELIUS
W. DE JONG
M. DeLUCA
J. E. DIXON
T. FRIEDMANN
O. GABRIEL
W. F. HARRINGTON
T. E. HUGLI
W. B. JAKOBY
M. D. KAMEN
J. H. LAW
Y. C. LEE
W. M. LOVENBERG
O. H. LOWRY
K. MOSBACH
W. D. PHILLIPS
J. F. RIORDAN
E. ROZENGURT
J. E. SEEGMILLER
B. L. VALLEE
H. VAN VUNAKIS

W. S. ALLISON, *Assistant to Co-Chairmen*

FOUNDING EDITOR

ALVIN NASON

Volume 154, 1986

ACADEMIC PRESS, INC.

Harcourt Brace Jovanovich, Publishers

San Diego Orlando New York Austin London
Montreal Sydney Tokyo Toronto

Copyright © 1986 by Academic Press, Inc.

All Rights Reserved

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information storage and retrieval system, without permission in writing from the copyright owner.

The appearance of the code at the bottom of the first page of an article in this journal indicates the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal or internal use of specific clients. This consent is given on the condition, however, that the copier pay the stated per copy fee through the Copyright Clearance Center, Inc. (27 Congress Street, Salem, Massachusetts 01970), for copying beyond that permitted by Sections 107 or 108 of the U. S. Copyright Law. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Copy fees for pre-1986 articles are as shown on the article title pages; if no fee code appears on the title page, the copy fee is the same as for current articles.

0003-2697/86 $3.00

MADE IN THE UNITED STATES OF AMERICA

CONTENTS OF VOLUME 154

NUMBER 1, APRIL 1986

REVIEW

Purification of Heparin-Binding Growth Factors
Roy R. Lobb, J. Wade Harper, and James W. Fett 1

REGULAR ARTICLES

Analysis and Purification of Plasmid DNA by Reversed-Phase High-Performance Liquid Chromatography *S. Colote, C. Ferraz, and J. P. Liautard* 15

Isolation of DNA from Fungal Mycelia and Sclerotia without Use of Density Gradient Ultracentrifugation *Susan W. Biel and F. W. Parrish* 21

Use of Specific Collagenases for the Isolation of Rat Liver Cells with Preserved Lipase Activities *J. R. Quibel, J. Le Petit, C. Marteau, A. Gerolami, and J. Boyer* 26

Nitrate Reductase Activity Test: Phenazine Methosulfate–Ferricyanide Stop Reagent Replaces Postassay Treatment *Lutz Scheideler and Helga Ninnemann* 29

Analysis of Biological Thiols: Determination of Thiol Components of Disulfides and Thioesters *Sandra Sulikowski Fenton and Robert C. Fahey* 34

The Occurrence of 4-Methylthio-2-hydroxybutyrate in Human Urine
Johannes Mårtensson 43

A Competitive Binding Assay for Fructose 2,6-Bisphosphate
Helmut Thomas and Kosaku Uyeda 50

A Fluorescence-Based Detergent Binding Assay for Protein Hydrophobicity
Erwin London 57

An Enzymatic Method for the Measurement of Nicotinamide Mononucleotide Pyrophosphorylase in Cells and Tissues *Sosamma J. Berger and Nathan A. Berger* 64

Isolation of 2-Hydroxycarboxylic Acids with a Boronate Affinity Gel
Sadayoshi Higa and Susumu Kishimoto 71

Analysis by High-Performance Liquid Chromatography of Radioactively Labeled Carbohydrate Components of Proteoglycans *L. Stefan Lohmander* 75

Separation of Chloroplast Polar Lipids and Measurement of Galactolipid Metabolism by High-Performance Liquid Chromatography *Johan W. M. Heemskerk, Gerard Bögemann, Martin A. M. Scheijen, and J. F. G. M. Wintermans* 85

Identification of Tyrosine *O*-Sulfate in Proteins by Reverse-Phase High-Performance Liquid Chromatography: Use of Base Hydrolysis Combined with Precolumn Derivatization Using Phenyl Isothiocyanate
David L. Christie, Rena M. Hill, Kristine Isakow, and Peter M. Barling 92

The Assay of ATP-Sulfurylase *Frits A. Hommes and Linda Moss* 100

Use of 5-(4-Dimethylaminobenzylidene)rhodanine in Quantitating Silver Grains Eluted from Autoradiograms of Biological Material
J. W. Ludlow, J. A. Guikema, and R. A. Consigli 104

Synthesis and Application of a Poly(ethylene glycol)-Antibody Affinity Ligand for Cell Separations in Aqueous Polymer Two-Phase Systems
Kim A. Sharp, Manssur Yalpani, Stephen J. Howard, and Donald E. Brooks 110

Bioluminescent Immunosorbent for Rapid Immunoassays
Béatrice Térouanne, Marie-Luce Carrié, Jean-Claude Nicolas, and André Crastes de Paulet 118

Bioluminescent Immunoassays of Progesterone: A Comparative Study of Three Different Procedures *Marie-Luce Carrié, Béatrice Térouanne, Michèle Brochu, Jean-Claude Nicolas, and André Crastes de Paulet* 126
Bioluminescent Immunoassay for α-Fetoprotein *Béatrice Térouanne, Jean-Claude Nicolas, and André Crastes de Paulet* 132
Analysis of Serum Insulin-like Growth Factor Binding Proteins Using Western Blotting: Use of the Method for Titration of the Binding Proteins and Competitive Binding Studies *Paul Hossenlopp, Danielle Seurin, Berta Segovia-Quinson, Sylvie Hardouin, and Michel Binoux* 138
Parameter Estimation for Ligand Binding Systems Kinetics Applied to 1,25-Dihydroxycholecalciferol *Svetlana Fishman, Hovav Talpaz, Arie Bar, and Shmuel Hurwitz* 144
A Fast, Nondestructive Purification Scheme for Prostaglandin H_2 Using a Nonaqueous, Bonded-Phase High-Performance Liquid Chromatography System *I. M. Zulak, M. L. Puttemans, A. B. Schilling, E. R. Hall, and D. L. Venton* 152
High-Performance Liquid Chromatographic Purification of a Ribonucleoprotein Complex and Its Protein Component *Claude Monteilhet and Lawrence P. Aggerbeck* 162
Applications of Chemical Cleavage Procedures to the Peptide Mapping of Neurofilament Triplet Protein Bands in Sodium Dodecyl Sulfate–Polyacrylamide Gel Electrophoresis *Said Mahboub, Claude Richard, André Delacourte, and Kia-Ki Han* 171
Preparation of Rat Liver Plasma Membranes in a High Yield *Ernest G. Loten and Jane C. Redshaw-Loten* 183
Fluorometric Quantitation of Cellular and Nonprotein Thiols *Frank C. Ayers, Garvin L. Warner, Kathy L. Smith, and David A. Lawrence* 186
Preparation of Tyrosine-*O*-[^{35}S]Sulfated Cholecystokinin Octapeptide from a Nonsulfated Precursor Peptide *Tatsuo Nakahara, Michinori Waki, Hideyuki Uchimura, Makoto Hirano, Jang Soo Kim, Takashi Matsumoto, Kaoru Nakamura, Kenji Ishibashi, Hitoshi Hirano, and Akio Shiraishi* 194
Modified Bartlett Assay for Microscale Lipid Phosphorus Analysis *Yuko H. Itoh, Toshihiro Itoh, and Hiroshi Kaneko* 200
Alkaline Hydrolysis of *N*-Ethylmaleimide Allows a Rapid Assay of Glutathione Disulfide in Biological Samples *Paolo Sacchetta, Domenico Di Cola, and Giorgio Federici* 205
A Simplified Procedure for the Rapid Identification of Recombinant pAT153 Plasmids in *Escherichia coli* HB101 Cells *Michel Dion, Jocelyn Yelle, and Claude Hamelin* 209
Determination of Metallothionein in Tissues by Radioimmunoassay and by Cadmium Saturation Method *Canice V. Nolan and Zahir A. Shaikh* 213
High-Performance Liquid Chromatographic Separation of Leghemoglobins from Soybean Root Nodules *Gautam Sarath, Hillel P. Cohen, and Fred W. Wagner* 224
A Fluorometric Assay of the Degree of Modification of Protein Primary Amines with Polyethylene Glycol *S. Jill Stocks, Andrew J. M. Jones, Charles W. Ramey, and Donald E. Brooks* 232
An Assay for Inhibitors of Nucleoside Transport Based upon the Use of 5-[^{125}I]Iodo-2′-deoxyuridine as Permeant *William B. Mahony and Thomas P. Zimmerman* 235
Recovery of Soluble Proteins from Glanded Cotton Tissues with Amines *John H. Schmidt and Randy Wells* 244
Isolation of Phosphoproteins by Immobilized Metal (Fe^{3+}) Affinity Chromatography *Lennart Andersson and Jerker Porath* 250

Monitoring of Environmental Cancer Initiators through Hemoglobin Adducts by a Modified Edman Degradation Method
M. Törnqvist, J. Mowrer, S. Jensen, and L. Ehrenberg 255
Isolation of a Physiologically Active and a Physiologically Inactive Mitochondrial NADH–Ubiquinone Reductase (Complex I) from Donkey Hearts
H. van Jaarsveld, G. M. Potgieter, and A. Lochner 267
The Quantitative Determination of 2′-Deoxycytidine-5′-triphosphate in Cell Extracts by Radioimmunoassay *Evelyn M. Piall, G. Wynne Aherne, and Vincent Marks* 276
A Fluorometric Assay for Biotinidase *H. Ebrahim and K. Dakshinamurti* 282
Scanning Molecular Sieve Chromatography of Interacting Protein Systems: Nonlinear Least-Squares Analysis of Small Zone Experiments *Erich E. Brumbaugh, M. Lynn Hilt, Rachel B. Shireman, Angel J. Espinosa, and Paul W. Chun* 287
Enhanced Instrumental Sensitivity and Selectivity for Aminopeptidase Profiling
J. T. Coburn, F. E. Lytle, and D. M. Huber 305
Determination of Low Levels of 4-Fluorophenylalanine Incorporation into Proteins
Michael P. Gamcsik 311
Quantification of Apolipoproteins in Rat Serum and in Cultured Rat Hepatocytes by Enzyme-Linked Immunosorbent Assay *Renee C. Lin* 316
Affi-Gel Blue Treatment Simplifies the Protein Composition of Sarcoplasmic Reticulum Vesicles *Sandor Papp, Laszlo Dux, and Anthony Martonosi* 327
Solid-Phase Extraction and High-Performance Liquid Chromatography Analysis of Lipoxygenase Pathway Products
James D. Eskra, Mark J. Pereira, and Michael J. Ernest 332
Rapid Fractionation of Collagen Chains and Peptides by High-Performance Liquid Chromatography
John F. Bateman, Thomas Mascara, Danny Chan, and William G. Cole 338
Tryptic Peptide Mapping of Ubiquitin and Derivatives Using Reverse-Phase High Performance Liquid Chromatography
M. Jane Cox, Raymond Shapira, and Keith D. Wilkinson 345
Specific-Primer-Directed DNA Sequencing
Erich C. Strauss, Joan A. Kobori, Gerald Siu, and Leroy E. Hood 353
A Sensitive Assay of GTP Cyclohydrolase I Activity in Rat and Human Tissues Using Radioimmunoassay of Neopterin
Makoto Sawada, Toshio Horikoshi, Masahiro Masada, Miki Akino, Takashi Sugimoto, Sadao Matsuura, and Toshiharu Nagatsu 361
A Sensitive Enzyme Assay for Biotin, Avidin, and Streptavidin
Edward A. Bayer, Haya Ben-Hur, and Meir Wilchek 367

BOOK REVIEWS

Molecular Cell Genetics. Edited by Michael M. Gottesman
Reviewed by *John A. Hanover* 371
High Performance Liquid Chromatography in Biochemistry. Edited by A. Henschen, K. Hupe, F. Lottspeich, and W. Voelter Reviewed by *John K. Baker* 371

ERRATUM

Volume 150, Number 2, November 1, 1985: Pierre Wong, André Barbeau, and Allen D. Roses, "A Method to Quantitate Coomassie Blue-Stained Proteins in Cylindrical Polyacrylamide Gels," pp. 288–293 372

The Use of Tolerization in the Production of Monoclonal Antibodies against Minor Antigenic Determinants *George S. Golumbeski, Jr., and Randall L. Dimond* 373
Enzyme Immunoassay of the Receptors for Modified Low Density Lipoprotein *S. N. Preobrazhensky, V. P. Tsibulsky, I. V. Fuki, V. O. Ivanov, V. S. Repin, and V. N. Smirnov* 382
Assay and Kinetics of Arginase *Cheryl L. Garganta and Judith S. Bond* 388
In Vitro Phosphorylation of Serum Albumin by Two Protein Kinases: A Potential Pitfall in Protein Phosphorylation Reactions *Steven C. Martin and Pia Ekman* 395
Spectral Displacement Techniques for Studying the Binding of Spectroscopically Transparent Ligands to Cyclodextrins *LeRoy A. Selvidge and Maurice R. Eftink* 400
A Method for the Direct Measurement of Glycogen Synthase Activity on Gels after Polyacrylamide Gel Electrophoresis *Clara R. Krisman and Marta L. Blumenfeld* 409
Determination of Basal and Stimulated Levels of Inositol Triphosphate in [^{32}P]Orthophosphate-Labeled Platelets *Carol A. Dangelmaier, James L. Daniel, and J. Bryan Smith* 414
Determination of Phosphorus in Cereal Lipids *Miklos I. P. Kovacs* 420
Isolation of Glycosylated Hemoglobins by a Combination of Ion-Exchange and Gel-Filtration Chromatographies: A Pilot Study *Christopher H. Lowrey and J. Stuart Soeldner* 424
Amino Acid Analysis by HPLC: Optimized Conditions for Chromatography of Phenylthiocarbamyl Derivatives *Ray F. Ebert* 431
Time-Resolved Fluoroimmunoassay of 5-Methyl-2′-deoxycytidine *Juhani A. Vilpo, Simo Rasi, Esko Suvanto, and Leena M. Vilpo* 436
Characterization of Cyanobacterial Ferredoxin–NADP$^+$ Oxidoreductase Molecular Heterogeneity Using Chromatofocusing *Aurelio Serrano* 441
Measurement of Cyclomaltodextrin Glucanotransferase Activity by High-Performance Liquid Chromatography Using a Fluorogenic Substrate *Shinji Satomura, Kaoru Omichi, and Tokuji Ikenaka* 449
Isolation of Human Complement Component C3 from Small Volumes of Plasma *Hattie D. Gresham, Donna F. Matthews, and Frank M. Griffin, Jr.* 454
The Use of Galactosyltransferase to Probe Nitrocellulose-Immobilized Glycoproteins for Nonreducing Terminal *N*-Acetylglucosamine Residues *Ralph E. Parchment, Charles M. Ewing, and Joel H. Shaper* 460
Multiple-Phase Equilibration Headspace Analysis for the Determination of N_2O and N_2 during Bacterial Denitrification *Michael D. Byrne and D. J. D. Nicholas* 470
A Revised Structure of Fluorescein Mercuric Acetate *M. T. Shipchandler and J. R. Fino* 476
Separation of Amino Acid Phenylthiohydantoin Derivatives by High-Pressure Liquid Chromatography *Joseph L. Meuth and J. Lawrence Fox* 478
Quantitation of Single- and Double-Strand DNA Breaks *in Vitro* and *in Vivo* *Ron Kohen, Moshe Szyf, and Mordechai Chevion* 485
Purification of Potato Lectin (*Solanum tuberosum* Agglutinin) from Tubers or Fruits Using Chromatofocusing *Patricia M. McCurrach and David C. Kilpatrick* 492
Assay of Unesterified 7-Oxocholesterol in Human Serum by Isotope Dilution–Mass Spectrometry *Ingemar Björkhem* 497

A Nonurea Electrophoretic Gel System for Resolution of Polypeptides of M_r 2000 to M_r 200,000 *Daryll B. DeWald, Lonnie D. Adams, and James D. Pearson* 502
Microbiological Analysis of 5-Formyltetrahydrofolic Acid and Other Folates Using an Automatic 96-Well Plate Reader *Edward M. Newman and Jerry F. Tsai* 509
Preparation of (6*R*)-Tetrahydrofolic Acid and (6*R*)-5-Formyltetrahydrofolic Acid of High Stereochemical Purity *Judith K. Sato, Edward M. Newman, and Richard G. Moran* 516
The Use of High-Performance Liquid Chromatography for the Determination of Size and Molecular Weight of Proteins: A Caution and a List of Membrane Proteins Suitable as Standards *Marc le Maire, Lawrence P. Aggerbeck, Claude Monteilhet, Jens P. Andersen, and Jesper V. Møller* 525
A Sensitive Spectrophotometric Method for the Determination of Superoxide Dismutase Activity in Tissue Extracts *Francesco Paoletti, Donatella Aldinucci, Alessandra Mocali, and Anna Caparrini* 536
Solid-Phase Sequencing on the Gas-Phase Sequencer *Virender K. Sarin, Yangkil Kim, and J. Lawrence Fox* 542
Determination of Leucine Aminopeptidase Using Phenylalanyl-3-thia-phenylalanine as Substrate *Se Young Hwang, William D. Kingsbury, Norman M. Hall, Dalia R. Jakas, George L. Dunn, and Charles Gilvarg* 552
The Reduction of α-Ketocarboxylic Acids and α-Dicarbonyl Compounds with Titanium(III) Chloride *Hugh A. Akers, Joseph G. Abdo, and Cynthia Hamilton* 559
Separation of Amino Acid and Amide Nitrogen from Plant Extracts for ^{15}N Analysis *Trung Chanh Ta and Kenneth Joy* 564
Mixed-Mode Hydrophobic Ion Exchange for the Separation of Oligonucleotides and DNA Fragments Using HPLC *Thomas R. Floyd, Susan E. Cicero, Steven D. Fazio, Thomas V. Raglione, Shih-Hsien Hsu, Stephen A. Winkle, and Richard A. Hartwick* 570
Determination of AMP in the Rat Heart Using Skeletal Muscle AMP Deaminase *Ryszard T. Smoleński and Andrzej C. Składanowski* 578
Electroelution of Fixed and Stained Membrane Proteins from Preparative Sodium Dodecyl Sulfate–Polyacrylamide Gels into a Membrane Trap *Enno Jacobs and Andreas Clad* 583
Coupled β-Cyclodextrin and Reverse-Phase High-Performance Liquid Chromatography for Assessing Biphenyl Hydroxylase Activity in Hepatic 9000*g* Supernatant *Dix E. Weaver and Robert B. L. van Lier* 590
Peptide Sequence Analysis Using Exopeptidases with Molecular Analysis of the Truncated Polypeptides by Mass Spectrometry *Richard M. Caprioli and Terry Fan* 596
A Sensitive High-Performance Liquid Chromatographic Procedure with Fluorometric Detection for the Analysis of Decarboxylated *S*-Adenosylmethionine and Analogs in Urine Samples *Joseph Wagner, Yves Hirth, Nicole Claverie, and Charles Danzin* 604
The Adenosine Triphosphate–Pyrophosphate Isotopic Exchange Reaction: A Tool for Determination of Tryptophan *Véronique Trezeguet and Bernard Labouesse* 618
A Highly Sensitive Assay Method for Human Placental Alkaline Phosphatase Involving a Monoclonal Antibody Bound to a Paper Disk *Kazuyuki Hirano, Yuichi Iiizumi, Yuji Hayashi, Tsuyoshi Tanaka, Mamoru Sugiura, Kyozo Hayashi, Zhen-Da Lu, and Shiro Iino* 624

Measurement of Urinary 3-Methylhistidine with Cationic-Exchange Resin
Wendy Lewin Fitch, Joseph E. Watson, and Janet C. King 632

Nucleic Acid Quantitation by Continuous Flow Fluorometry
Michael G. Murray and Herbert E. Paaren 638

Plasma Membranes of Human Neutrophils: A One-Step Isolation Procedure by Cell Disruption in Paraffin Oil *Norma Amit, Patrick Sourbier, Claude Marquetty, Trung Pham Huu, and Jacques Hakim* 643

A Semiautomated Hemolysis Microassay for Membrane Lytic Proteins
John Ding-E Young, Lauren Gee Leong, Marie A. DiNome, and Zanvil A. Cohn 649

A Procedure for the Rapid Purification in High Yield of Human Glucocerebrosidase Using Immunoaffinity Chromatography with Monoclonal Antibodies
Johannes M. F. G. Aerts, Wilma E. Donker-Koopman, Gary J. Murray, John A. Barranger, Joseph M. Tager, and André W. Schram 655

Indirect Assays for Deoxyhypusine Hydroxylase Using Dual-Label Ratio Changes and Oxidative Release of Radioactivity
Alberto Abbruzzese, Myung Hee Park, and J. E. Folk 664

Preparation of High-Specific-Activity D-[3-^{3}H]Pantothenic Acid
David S. Vallari and Charles O. Rock 671

A Rapid Assay for Activity of Phospholipase A_2 Using Radioactive Substrate
Masuyuki Katsumata, Chhanda Gupta, and Allen S. Goldman 676

A Differential Scanning Calorimeter for Ice Nucleation Distribution Studies—Application to Bacterial Nucleators
Antonio Parody-Morreale, Gary Bishop, Ray Fall, and Stanley J. Gill 682

A Versatile Transition Metal Salt Reaction for a Wide Range of Common Biochemical Reagents: An Instantaneous and Quantifiable Color Test
Nigel Fleming and Ralph A. Nixon 691

ERRATUM

Volume 152, Number 2, February 1, 1986: Brian D. Plikaytis, George M. Carlone, Paul Edmonds, and Leonard W. Mayer, "Robust Estimation of Standard Curves for Protein Molecular Weight and Linear-Duplex DNA Base-Pair Number after Gel Electrophoresis," pp. 346–364 702

AUTHOR INDEX FOR VOLUME 154 703

The Subject Index for Volume 154 will appear in the December 1986 issue as part of a cumulative index for the year 1986.

INFORMATION FOR AUTHORS

Analytical Biochemistry is an international journal that publishes original articles on methods of interest to the biochemical sciences and all fields that impinge on biochemical investigation. In addition to the expected techniques that apply to biochemical preparations and analysis, the following should be considered as within the scope of the journal:

— Cell and tissue culture techniques that are of general application.

— Sequencing and synthesis of nucleic acids; chemical mutagenesis.

— Purification methods for enzymes and other proteins which contain a novel aspect and in which a high level of purity has been achieved.

— Immunochemical techniques, both analytical and preparative, if they are of general applicability by biochemists. Included are radioimmunoassays, but only if a unique approach is introduced rather than the determination of a substance not previously assayable.

— Pharmacological and toxicological research techniques that have a biochemical approach.

— Review articles dealing with timely topics. Although these are generally invited, unsolicited manuscripts will be considered.

Manuscripts are accepted for review with the understanding that the same work has not been and will not be nor is presently submitted elsewhere, and that its submission for publication has been approved by all of the authors and by the institution where the work was carried out; further, that any person cited as a source of personal communications has approved such citation. Written authorization may be required at the Editor's discretion. Articles and any other material published in *Analytical Biochemistry* represent the opinions of the author(s) and should not be construed to reflect the opinions of the Editor(s) and the Publisher.

Authors submitting a manuscript do so on the understanding that if it is accepted for publication, copyright in the article, including the right to reproduce the article in all forms and media, shall be assigned exclusively to the Publisher. The Publisher will not refuse any reasonable request by the author for permission to reproduce any of his or her contributions to the journal.

Address. Manuscripts should be submitted in quadruplicate to *Analytical Biochemistry*, Editorial Office, Seventh Floor, 1250 Sixth Avenue, San Diego, California 92101. In the case of rejected manuscripts, only one copy of the manuscript will be returned to the author.

An extended Information for Authors is published in each July issue. Reprints are available from the Editorial Office. Authors should consult this Information for details on nomenclature, IUPAC-IUB rules and recommendations, and accepted abbreviations.

Manuscripts should be concise and consistent in style, spelling, and use of abbreviations. In order to facilitate the processing of manuscripts, the journal now requests that at least four copies be submitted, each copy to include all figures (originals or glossy prints) and tables. The original copy must be typewritten, double-spaced, on one side of white bond paper, about 8½ × 11 inches in size, with one-inch margins on all sides. Each manuscript should have a separate title page noting title of article, authors' names (without degrees), a running title (not exceeding 35 letters and spaces), an abstract (50–150 words), and the address to which proof should be mailed. In creating a title for your paper, please omit words such as *novel, rapid, improved, simple, sensitive, efficient, convenient, new.* Each is felt to be redundant and actually slows down the reader who is scanning the article titles and wants to know more about the method itself. Please substitute informative words that will give readers a more complete idea of the usefulness of your paper with regard to the limitations of their equipment or sample type. For example, what *kind* of method are you describing? Abbreviations should not be used in the title.

Please number all pages of the manuscript.

Authors should indicate the following on the title page: (1) the appropriate subject category for listing in the Table of Contents; (2) six descriptive key words for computer-aided selection of reviewers. (Please see the Appendix at the end of the extended Instructions to Authors published in the July 1, 1983 issue for a list of recommended key words.) These words will also be used in the preparation of the annual cumulative subject index for the journal.

Text. The suggested organization of an article is: abstract; introductory statement; materials and general methods; results; discussion; acknowledgment; references. Some of these sections may be combined if the presentation is thereby made clearer or more effective. Although this is the general form, the journal will accept short papers of approximately two printed pages that are arranged without specific sections except for a short abstract.

Names of chemical or organic substances should follow the recommendations of the IUPAC–IUB Combined Commission on Biochemical Nomenclature (CBN) as published in the extended Instructions for Authors, appearing in the July issue of this journal.

Authors should draw attention to any particular chemical or biological hazards that may be involved in carrying out the experiments described. Any relevant safety precautions should be described; if an accepted code of practice has been followed, a reference to the relevant standards should be given.

Figures should be numbered consecutively with Arabic numerals in order of mention in the text: each figure should have a descriptive legend. Legends should be typed together on a separate sheet, double-spaced. All illustrations should be in finished form ready for the engraver. A convenient size for drawings is 8½ × 11 inches (21 × 27.5 cm). Drawings should be made with India ink on tracing linen, smooth surface white paper, or Bristol board. Graph paper if used should be ruled in blue. Grid lines that are to show in the final engraving should be inked in black. Glossy prints properly prepared are acceptable.

Photographs must be kept to a minimum and should be glossy prints with strong contrasts; the magnification should be indicated by a scale where possible.

Illustrations in color can be accepted only if the authors defray the cost.

Tables should be typed on separate pages, numbered consecutively with Arabic numerals in order of mention in the text. All tables should have descriptive headings, typed (double-spaced) above the table.

Footnotes should be designated in text by superscript numbers and listed on a separate sheet; in tables, by superscript letters and placed at the bottom of the page containing the table.

References to the literature should be cited in the text by Arabic numerals in parentheses and listed at the end of the paper in consecutive order. Abbreviations of journal titles should follow the style used in *Chemical Abstracts Service Source Index,* 1980. Please note style of capitalization and punctuation for journal articles and edited books in the following examples:

1. Stein, S., and Udenfriend, S. (1984) *Anal. Biochem.* **136,** 7–23.
2. Metzler, D. E. (1977) Biochemistry: The Chemical Reaction of Living Cells, p. 298, Academic Press, New York.
3. Harrington, W. F. (1979) *in* The Proteins (Neurath, H., and Hill, R. L., eds), Vol. 4, pp. 246–409, Academic Press, New York.

Proofs. Proofs will be sent to the authors with reprint order forms. Fifty reprints of each article are provided free of charge. Additional reprints may be ordered using the form provided.